

10 Literatur

- [1] Hiramoto Y.: Evaluation of cytomechanical properties. In: Cytomechanics. Bereiter-Hahn J., Anderson O.R., Reif W.-E., S. 31-45, Springer Verlag, 1987.
- [2] Engelhardt H., Gaub H., Sackmann E.: Viscoelastic properties of erythrocyte membranes in high-frequency electric fields. Nature Vol. 307 , S. 378-380, 1984.
- [3] Chien S., Schmid-Schönbein G.W., Sung K.-L. P., Schmalzer E.A.: Viscoelastic properties of leukocytes. In: White cell mechanics. Meiselman J., Lichtmann A., LaCelle P. (eds), S. 19-51, Liss Verlag, 1984.
- [4] Theuer E., Theuer H.: Schwingungsanalyse maligner und gesunder Zellen. Deutsche Zeitschrift für Onkologie, S. 127-129, 1993.
- [5] Fry F. J.: Biological effects of ultrasound - a review. Proceed. of the IEEE, Vol. 67, Nr. 4.
- [6] Theuer E., Theuer H.: Selektive, schwingungsinduzierte Zerstörung maligner Zellen. Deutsche Zeitschrift für Onkologie. S 120-122, 1994.
- [7] Janmey P.A., Eurenneer U., Traub P., Schliwa M.: Viscoelastic properties of vimentin compared with other filamentous biopolymer networks. The Journal of Cell Biology, Vol. 113, 1991.
- [8] Duwe H.P., Käs J., Sackmann E.: Bending elastic moduli of lipid bilayers. J. Phys. France, S. 945-962, 1990.
- [9] Berndl K., Käs J., Lipowsky R., Sackmann E., Seifert U.: Shape transformations of giant vesicles. Europhys. Lett., 13 (7), S. 659-664, 1990.
- [10] Käs J., Sackmann E.: Shape transitions and shape stability of giant phospholipid vesicles in pure water induced by area-to-volume changes. Biophys. J., 60, S. 825-844, 1991.

- [11] Kaufmann S., Käs J., Goldmann W.H., Sackmann E., Isenberg G.: Talin anchors and nucleates actin filaments at lipid membranes - a direct demonstration, *FEBS*, 314 (2), S. 203-205, 1992.
- [12] Alberts B., Bray D., Lewis J., Raff M.: *Molekularbiologie der Zelle*, VCH Verlag, 1997.
- [13] Käs J., Strey H., Bärmann M., Sackmann E.: Direct measurement of the wave-vector-dependent bending stiffness of freely flickering actin filaments. *Europhys. Lett.*, 21 (8), S. 865-870, 1993.
- [14] MacKintosh F.C., Käs J., Janmey P.A.: Elasticity of semiflexible biopolymer networks. *Phys. Rev. Lett.*, 75 (24), S. 4425-4428, 1995.
- [15] Leterrier J.F., Käs J., Hartwig J., Vegners R., Janmey P.A.: Mechanical effects of neurofilament cross-bridges. *J. Biol. Chem*, 271, S. 15687-15694, 1996.
- [16] Käs J., Strey H., Sackmann E.: Direct visualization of reptation for semiflexible actin filaments. *Nature*, 368, S 226-229, 1994.
- [17] Janmey P.A., Hvidt S., Käs J., Lerche D., Maggs A., Sackmann E., Schliwa M., Stossel T.P.: The mechanical properties of actin gels. *J. Bio. Chem.*, 269, S. 32503-32513, 1994.
- [18] Käs J., Sackmann E., Podgornik R., Svetina S., Zeks B.: Thermally induced budding of phospholipid vesicles - a discontinuous process. *J. Phys.II France*, 3, S. 631-645, 1993.
- [19] Janmey P.A., Käs J.: Viscoelastic properties of F-actin, microtubules, and intermediate filaments, the major biopolymers of the cytoskeleton. *Proc. Nordic Rheology Soc.*, 2, S. 8-11, 1994.
- [20] Döbereiner H.-G., Käs J., Noppl D., Sprenger I., Sackmann E.: Budding and fission of vesicles. *Biophys. J.*, 65, S. 1396-1403, 1993.

- [21] Sackmann E., Käs J., Rädler J.: On shape transformations and shape fluctuations of cellular compartments. *Physica Scripta*, 49, S. 111-118, 1993.
- [22] MacKintosh F.C., Käs J., Janmey P.A.: Recent advances in the understanding of elasticity of biopolymer networks. *Trends in Polymer Science*, in press, 1997.
- [23] Sackmann E., Käs J., Strey H.: The observation of polymer reptation, *Adv. Mater.*, 6, S. 507-509, 1994.
- [24] Käs J.: Polymerdynamik einzelner Makromoleküle, *Chemie in unserer Zeit*, 4, S. 207 - 210, 1995.
- [25] Käs J., Strey H., Tang J.X., Finger D., Ezzell R., Sackmann E., Janmey P.A.: F-actin, a model polymer for semiflexible chains in dilute, semidilute and liquid crystalline solutions. *Biophys. J.*, 70, S. 609 - 625, 1996.
- [26] Sheils C.A., Käs J., Travassos W., Allen P.G., Janmey P.A., Wohl M.E., Stossel T.P.: Actin mediates DNA fiber formation in chronic inflammatory airway disease and in vitro, and actin depolymerization dissolves DNA bundles. *Americ. J. Pathol.*, 148, S. 20 -28, 1996.
- [27] Xu J., Schwarz W.H., Käs J., Janmey P.A., Pollard T.D.: The mechanical properties of F-actin depend on the preparation and storage of G-actin. *Biophys. J.*, submitted 1997.
- [28] Käs J., Laham L.E., Shah J., Finger D.K., Hartwig J., Kroy K., Frey E., MacKintosh F., Janmey P.A.: ATP and divalent cations modulate mechanical stability of actin networks by changing filament stiffness. *Nature*, submitted 1997.
- [29] Erbar P.: *Onkologie – Einführung in die Pathophysiologie, Klinik und Therapie maligner Tumoren*. Schattauer, 1994.
- [30] Berndl K., Käs J., Lipowsky R., Sackmann E., Seifert U.: Vesicle shapes and shape transformations: a systematic study. In: *Biologically inspired physics*. Peliti L. (eds), Plenum Press, S. 95-111, 1991.

- [31] Bärmann M., Käs J., Kurzmeier H., Sackmann E.: A new cell model - actin networks engaged by giant vesicles. In: The structure and conformation of amphiphilic membranes. Lipowsky R., Richter D. und Kremer K. (eds), Springer Verlag, S. 154-158, 1991.
- [32] Käs J., Guck J., Humphrey D.: Dynamics of single protein polymers visualized by fluorescence microscopy. In: Modern optics, electronics and high precision techniques in cell biology.. Isenberg G. (eds), Springer Verlag, in press, 1997.
- [33] Goldmann W.H., Käs J., Isenberg G.: Talin decreases the bending elasticity of actin filaments. Biochemical Society Transactions, 22(1), S. 46-47, 1994.
- [34] Käs J., Strey H., Janmey P.A., Sackmann E.: Reptation dynamics of single semiflexible actin filaments in entangled actin solutions. Biophys. J., 66(2), A195 , 1994.
- [35] Käs J., Laham L.E., Finger D.K., Janmey P.A.: Solution ATP affects the bending elasticity of actin filaments implying a low affinity ATP-binding site on F-actin. Mol. Biol. Cell, 5, 157a, 1994.
- [36] Tang J.X., Käs J., Janmey P.A.: Isotropic-nematic transition of F-actin: a coherent picture from polarization microscopy, rheology, confocal microscopy and electronmicroscopy. Biophys. J., 68, A247, 1995.
- [37] Allen P.G., Shuster C.B., Käs J., Janmey P.A., Li R., Chaponnier C., Herman I.M.: Characterization of biochemical differences among actin isoforms. Mol. Biol. Cell, 6, 19a, 1995.
- [38] Käs J., Strey H., Tang J.X., Finger D., Ezzell R., Sackmann E., Janmey P.A.: Molecular motions of single actin filaments in dilute, semidilute and liquid crystalline solutions. Biophys. J., 70, A14, 1996.
- [39] MacKintosh F.C., Käs J., Janmey P.A.: Elasticity of semiflexible biopolymer networks, Biophys. J., 70, A135, 1996.

- [40] Böhm J., MacKintosh F.C., Shah J.V., Laham L.E., Janmey P.A., Guck J., Humphrey D., Käs J.: Molecular origin and control of F-actin viscoelasticity and its impact on cell shape and motility. *Biophys. J.*, in press, 1997.
- [41] McGee JM., Youmans R., Clingan F., Malnar K., Bellefeuille C., Berry B.: The value of axillary dissection in T1a breast cancer. *Am J Surg.*, 172(5) S. 501-519, 1996.
- [42] Avril N.: Assessment of axillary lymph node involvement in breast cancer patients with positron emission tomography using radiolabeled 2-(fluorine-18)-fluoro-2-deoxy-D-glucose. *J Natl Cancer Inst.* Sep, 1996.
- [43] Diel IJ.: Micrometastatic breast cancer cells in bone marrow at primary surgery: prognostic value in comparison with nodal status. *J Natl Cancer Inst.*, 1996.
- [44] Chadha M.: Is axillary dissection always indicated in invasive breast cancer? *Oncology.* Huntington, 1997.
- [45] Noguchi S., et al.: Detection of breast cancer micrometastases in axillary lymph nodes by means of reverse transcriptase-polymerase chain reaction. Comparison between MUC1 mRNA and keratin 19 mRNA amplification. *Am J Pathol.*, 1996.
- [46] Morishita Y., et al.: Clinicopathological characteristics of primary breast cancer in older geriatric women: a study of 39 Japanese patients over 80 years old. *Jpn J Cancer Res.*, 1997.
- [47] Singh Y., et al.: Inhibition of tumor growth and metastasis by angiogenesis inhibitor TNP-470 on breast cancer cell lines in vitro and in vivo. *Breast Cancer Res Treat.*, 1997.
- [48] Bellahcene A., et al.: Bone sialoprotein expression in primary human breast cancer is associated with bone metastases development. *J Bone Miner Res.*, 1996.
- [49] Sauer T., et al.: nm23 protein expression in fine-needle aspirates from breast car-

- cinoma: inverse correlation with cytologic grading, lymph node status, and ploidy. *Cancer*, 1998.
- [50] Utech C.I., et al.: Prospective evaluation of fluorine-18 fluorodeoxyglucose positron emission tomography in breast cancer for staging of the axilla related to surgery and immunocytochemistry. *Eur J Nucl Med*, 1996.
- [51] Pirinen R., et al.: Prognostic value of epidermal growth factor expression in breast cancer. *J Cancer Res Clin Oncol*, 1997.
- [52] Teixeira M.R., et al.: Karyotypic comparisons of multiple tumorous and macroscopically normal surrounding tissue samples from patients with breast cancer. *Cancer Res*, 1996.
- [53] Straathof D., et al.: Fine-needle aspiration cytology of sarcomatoid carcinoma of the breast: a cytologically overlooked neoplasm. *Diagn Cytopathol*, 1997.
- [54] Bereiter-Hahn J.: Mechanical principles of architecture of eukaryotic cells. In: *Cytomechanics*. Bereiter-Hahn J., Anderson O.R., Reif W.-E., S. 3-30, Springer Verlag, 1987.
- [55] Yu G.H., et al.: Tumor cell (dys)cohesion as a prognostic factor in aspirate smears of breast carcinoma. *Am J Clin Pathol*, 1998.
- [56] Gordon A.: The increasing efficacy of breast cancer treatment. *Clin Oncol* 1997.
- [57] Rostagno P., et al.: Detection of rare circulating breast cancer cells by filtration cytometry and identification by DNA content: sensitivity in an experimental model. *Anticancer Res*, 1997.
- [58] Nakachi K., et al.: Influence of drinking green tea on breast cancer malignancy among Japanese patients. *Jpn J Cancer Res*, 1998.

- [59] Link H., et al.: Transplantation of hematopoietic stem cells. II: Indications for transplantation of hematopoietic stem cells after myeloablative therapy. *Med Klin*, 1997.
- [60] Mansi L., et al.: Diagnostic and prognostic role of ^{99m}Tc-Tetrofosmin in breast cancer. *Q J Nucl Med*, 1997.
- [61] Andersen J.A., Bardi G.: Karyotypic comparisons of multiple tumorous and macroscopically normal surrounding tissue samples from patients with breast cancer. *Cancer Res.*, S. 855, 1996.
- [62] Yu G.H., De Frias D.V.: Tumor cell (dys)cohesion as a prognostic factor in aspirate smears of breast carcinoma. *Am J Clin Pathol.* S. 315, 1998.
- [63] Jänicke F., Römer W., Ziegler S., Weber W., Herz M., Nathrath W., Schwaiger M.: Assessment of axillary lymph node involvement in breast cancer patients with positron emission tomography. *J Natl Cancer Inst.*, S. 1204-9, 1996.
- [64] Diel I.J., Holle R.: Micrometastatic breast cancer cells in bone marrow at primary surgery: prognostic value in comparison with nodal status. *J Natl Cancer Inst.*, S. 1652-8, 1996.
- [65] Motomura K., Inaji H., Imaoka S., Koyama H.: Detection of breast cancer micrometastases in axillary lymph nodes by means of reverse transcriptase-polymerase chain reaction. Comparison between MUC1 mRNA and keratin19 mRNA amplification. *Am J Pathol.*, S. 649-56, 1996.
- [66] Takei H., Iino Y., Horiguchi J., Maemura M.: Angiogenesis and stromal fibronectin expression in invasive breast carcinoma. *Int J Oncol.*, S. 517-23, 1998.
- [67] Thompson E.W.: The invasive and metastatic properties of hormone-independent but hormone-responsive variants of MCF-7 human breast cancer cells. *Clin Exp*

Metastasis, 1993.

- [68] Jan Thompson E.W.: The invasive and metastatic properties of hormone-independent but hormone-responsive variants of MCF-7 human breast cancer cells. *Clin Exp Metastasis*, 1993.
- [69] Yoneda T.: Inhibition of osteolytic bone metastasis of breast cancer by combined treatment with the bisphosphonate ibandronate and tissue inhibitor of the matrix metalloproteinase-2. *Clin Invest*, 1997.
- [70] Tamura H.: Therapeutic efficacy of pamidronate in combination with chemotherapy to bone metastasis of breast cancer in a rat model. *Surg Oncol*, 1996.
- [71] Tamura H.: Therapeutic efficacy of pamidronate in combination with chemotherapy to bone metastasis of breast cancer in a rat model *Surg Oncol*, 1996 Jun
- [72] Glück S.: Autologous transplantation for patients with advanced breast cancer with emphasis on bony metastasis. *Can J Oncol*, 1995.
- [73] Narita T.: Corticosteroids and medroxyprogesterone acetate inhibit the induction of E-selectin on the vascular endothelium by MDA-MB-231 breast cancer cells. *Anticancer Res*, 1995.
- [74] Mahacek M.L.: Finite proliferative lifespan in vitro of a human breast cancer cell strain isolated from a metastatic lymph node. *Breast Cancer Res Treat*, 1993.
- [75] Kallioniemi O.P.: Association of c-erbB-2 protein over-expression with high rate of cell proliferation, increased risk of visceral metastasis and poor long-term survival in breast cancer. *Int J Cancer*, 1991.
- [76] Tarin D.: Biological and clinical studies relevant to metastasis of breast cancer. *Cancer Metastasis Rev*, 1986.

- [77] Hettasch J.M.: Tissue transglutaminase expression in human breast cancer. *Cancer Metastasis Rev*, 1986.
- [78] Ronay G.: Lymph node metastasis of a squamous cell carcinoma as a manifestation of occult breast cancer. *Pathologie*, 1988.
- [79] Grigorian M.: Effect of mts1 (S100A4) expression on the progression of human breast cancer cells. *Int J Cancer*, 1996.
- [80] Holst-Hansen C.: Urokinase-type plasminogen activation in three human breast cancer cell lines correlates with their in vitro invasiveness. *Clin Exp Metastasis*, 1996.
- [81] Rose D.P.: Dietary fatty acids and breast cancer invasion and metastasis. *Nutr Cancer*, 1994.
- [82] Rose D.P.: Effect of diets containing different levels of linoleic acid on human breast cancer growth and lung metastasis in nude mice. *Cancer Res*, 1993.
- [83] Nakshatri H.: Constitutive activation of NF-kappaB during progression of breast cancer to hormone-independent growth. *Mol Cell Biol*, 1997.
- [84] Bathe K.J.: *Finite element procedures in engineering analysis*. Prentice-Hall, 1982.
- [85] Kurebayashi J.: Invasion-inhibiting factor 2-albumin conjugate inhibits invasion and spontaneous metastasis of MKL-4 human breast cancer cells transplanted into female nude mice. *Clin Exp Metastasis*, 1996.
- [86] Castronovo V.: Immunodetection of the metastasis-associated laminin receptor in human breast cancer cells obtained by fine-needle aspiration biopsy. *Am J Pathol*, 1990.
- [87] Yee C.: Degradation of endothelial basement membrane by human breast cancer

cell lines. *Cancer Res*, 1986.

[88] Maemura M.: Are cellular adhesion molecules involved in the metastasis of breast cancer? *Breast Cancer Res Treat*, 1994.

[89] Krüger M., Pesavento A., Ermert H., Hentsch A., Heuser L.: Dreidimensionale Simulation und Optimierung der Ultraschall-Mammographie. *Biomedizinische Technik (Ergänzungsband)*, 41: 176-177, 1996.

[90] Krueger M., Pesavento A., Ermert H.: A modified time-of-flight tomography concept for ultrasonic breast imaging. *Proc. IEEE-Ultrasonics Symposium*, S. 1381-1385, 1996.